


62.75

Tr

MEMBER OF:
AMERICAN NURSERYMEN ASSOCIATION
NEW ENGLAND NURSERYMEN ASSOCIATION
R. I. NURSERYMEN ASSOCIATION



C. HOOGENDOORN
NURSERYMAN
TURNER ROAD NEWPORT, R. I.
TELEPHONE NEWPORT 3405

November 30, 1955

LINING-OUT STOCK

	Per 100 (EACH)	Per 1000 (EACH)
250 Acer Ossi Beni, 2 yr. grafts, 10-18"	\$ 1.75	\$
1,000 " palmatum, grafting size, 2 yr. sdlgs.	.11	.09
700 " " atropurpureum, 2 yr. grafts, 12-18"	1.75	1.50
ARBORVITAE, see Thuja		
400 Azalea knaphill hybrids, 2 yr. tr.	.40	.35
500 " mollis, Koster Brilliant Red, 2 yr. tr. cutback	.40	.35
1,000 " mucronulatum, strong 1 yr. tr., 5-9"	.20	.17½
1,000 " Schlippenbachii, strong 2 yr. tr., 3-6"	.35	.30
BEACH PLUM, see Prunus maritima		
BEECH, see Fagus		
500 Cedrus atlantica glauca, 1 yr. grafts, 10-15"	1.00	
500 Chamaecyparis obtusa gracilis nana, 2 yr. grafts	.75	
300 " squarrosa K&C (Blue squarrosa) 2 yr. tr. 8-12"	.40	.35
500 Cornus florida rubra, 1 yr. grafts, 18-24"	1.10	.90
1,000 Cotoneaster horizontalis, 1 yr. sdlgs., 4-6"	.10	.07½
1,000 " " , 2 yr. sdlgs.	.17½	.15

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

COTONEASTER FRAECOX

This is one of the hardiest Cotoneasters and went through 20 degrees below zero without any harm. It has large berries like cranberries which color up in the middle of August and remain on until very late Fall. It grows rather flat and makes an ideal plant to mix in with foundation plantings and especially with ranch-type houses. We can offer for Fall, 1955 and Spring, 1956, the following:

| | | | |
|-------------------------------|-----|------|---|
| 500 strong 1 yr. sdlgs., 4-8" | .25 | .22½ | - |
| 500 transplants, 2 yr., 8-12" | .50 | | * |
| 2,000 strong 2 yr. sdlgs. | .30 | .25 | - |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

DOGWOOD, see Cornus

| | | | |
|--|-----|-----|--|
| 250 Enkianthus campanulata, strong 2 yr. tr. | .40 | | |
| 3,000 Euonymus alatus compacta, 2 yr., 4-8", transplanted and cutback last year and full of breaks | .30 | .25 | |

November 30, 1955

- 2 -

Telephone Newport 3405

J. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

LINING-OUT STOCK - continued

| | | | Per 100
(EACH) | Per 1000
(EACH) |
|---|---|----|-------------------|--------------------|
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |
| - | EXOCHORDA WILSONI | | | - |
| * | This plant was introduced into this | | | * |
| - | country by the famous Dr. Wilson. | | | - |
| * | It is a big improvement over Exochorda | | | * |
| - | grandiflora as it blooms much heavier | | | - |
| * | and the flowers are exceedingly fragrant. | | | * |
| - | | | | - |
| * | 2 yr. grafts | | .75 | .60* |
| - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |
| 25 | Fagus sylvatica asplenifolia (Fernleaf Beech) 3 yr. | | | |
| | grafts, 12-18" | \$ | 2.00 | \$ |
| 300 | " " bicolor, 2 yr. grafts, 10-18" | | 1.75 | |
| 50 | " " pendula (Weeping Green Beech) 2 yr. | | | |
| | grafts, 1 $\frac{1}{2}$ -2 $\frac{1}{2}$ ' | | 1.50 | |
| 200 | " " pyramidalis, (Pyramid Green Beech) 2 yr. | | | |
| | grafts, 12-18" | | 1.50 | |
| 75 | " " purpureum pendula (Weeping Riversi Beech) | | | |
| | 2 yr. grafts | | 2.00 | |
| 300 | " " Riversi (Rivers Beech), 2 yr. grafts, | | | |
| | 10-18" | | 1.50 | |
| 100 | " " " " " , 3 yr. grafts, | | | |
| | 18-24" | | 2.00 | |
| | FIR, see Pseudotsuga | | | |
| 3,000 | Forsythia Spring Glory, 1 yr. hardwood, 18-24" | | .10 | .07 $\frac{1}{2}$ |
| 1,000 | " Arnold Giant, 2 yr. tr., branched, 15-24" | | .30 | .25 |
| 500 | Ilex compacta, 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 500 | " " , 2 yr. tr., 4-6" spread | | .40 | .35 |
| 500 | " " , 3 yr. tr. | | .60 | .50 |
| 2,500 | " convexa, 2 yr. tr., 6-10" | | .40 | .35 |
| 500 | " " , 3 yr. tr., 10-15" | | .60 | .50 |
| 1,000 | " crenata (True) strong 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " glabra, strong 1 yr. tr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 500 | " helleri, 1 yr. cuttings | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " " , 2 yr. tr., 4-6" spread | | .40 | .35 |
| 250 | " " , 3 yr. tr. | | .60 | .50 |
| 600 | " latifolia, 2 yr. tr., 8-12" | | .40 | .35 |
| 1,000 | " rotundifolia, strong 1 yr. tr. | | .20 | .17 $\frac{1}{2}$ |
| 1,000 | " " , 2 yr. tr., 6-9" | | .40 | .35 |
| 1,000 | Juniper andorra, 2 yr. tr., 8-12", cut back last Spring | | .40 | .35 |
| 1,000 | " hetzi, 1 yr. tr. cuttings | | .25 | .20 |
| 1,000 | " " , 2 yr. tr., 10-15", cut back last Spring | | .40 | .35 |
| 1,500 | " pfitzeriana, 2 yr. tr., 8-12", cut back last Spring | | .40 | .35 |
| 500 | " stricta, 1 yr. tr., 4-6" | | .25 | |
| 500 | " " , 2 yr. field rows, 8-10" | | .50 | .45 |
| 0,000 | " virginiana, 1 yr. sdlgs., 3-5" (free of blight) | | .05 | .04 |
| 5,000 | " " , 2 yr. sdlgs. | | .06 | .05 |
| 3,000 | Ligustrum ibota regalianum (Regal Privet) true, 1 yr. soft- | | | |
| | wood from frames | | .06 | .05 |

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every entry, no matter how small, should be carefully documented to ensure the integrity of the financial data. This includes recording dates, amounts, and the nature of the transactions.

In the second section, the author outlines the various methods used to collect and analyze data. These methods include direct observation, interviews with key personnel, and the use of specialized software tools. Each method is described in detail, highlighting its strengths and limitations.

The third part of the document focuses on the results of the data collection process. It presents a series of tables and graphs that illustrate the trends and patterns observed in the data. These visual aids are used to support the conclusions drawn from the analysis.

Finally, the document concludes with a summary of the findings and recommendations for future research. It suggests that further studies should be conducted to explore the underlying causes of the observed trends and to develop more effective strategies for data collection and analysis.

LINING-OUT STOCK - continued

| | Per 100
(EACH) | Per 1000
(EACH) |
|--|-------------------|--------------------|
| 200 Magnolia Alexandrina, 1 yr. grafts | \$.75 | \$ |
| 100 " conspicua, 1 yr. grafts | .75 | |
| 150 " Lenni, 1 yr. grafts | .75 | |
| 250 " rustica rubra, 1 yr. grafts, 12-24" | .75 | |
| 400 " stellata, 1 yr. grafts | .75 | |
| 300 " " rosea, 1 yr. grafts | .75 | |
| MAPLES, see Acer | | |
| PEARLBUSH, see Exochorda | | |
| 2,000 Picea glauca conica (Dwarf Alberta Spruce) 5 yr. tr., 6-10" | .60 | .50 |
| 3,000 Prunus maritima (Beach Plum) strong 1 yr. sdlgs., 10-18" | .10 | .07½ |
| 3,000 Pseudotsuga taxifolia glauca (Blue Douglas Fir) 2 yr. sdlgs., 4-7" | .10 | .07½ |
| 300 Rhododendron virgin, (hardy white) 3 yr. tr. | .75 | |
| 500 " carolinianum, strong 3 yr. tr. | .60 | |

| | | |
|---|-----|-----|
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | |
| - RHUS COTINUS ATROPURPUREUM | | - |
| * (Purpleleaf Smokebush) | | * |
| - New. A big improvement over Rubifolia, as | | - |
| * it has a much deeper red color and holds | | * |
| - the color better. | | - |
| * 500 1 yr. grafts, 12-24" | .75 | .60 |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | |

SMOKEBUSH, see Rhus

| | | |
|---|------------------|---|
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | |
| - TAXUS CAPITATA | | - |
| * Seed sown lightly. Plants grown with plenty of room in beds. | | * |
| - 5,000 strong 2 yr. sdlgs. | .15 each per 100 | - |
| * .12½ each per 1000 | | * |
| - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | |

| | | |
|---|-----|-----|
| 1,000 Taxus brevifolia nana, 2 yr. tr. | .45 | .40 |
| 2,000 " hatfieldi, 2 yr. tr. | .45 | .40 |
| 2,500 " hicksi, 2 yr. tr. | .45 | .40 |
| 1,000 Thuja woodwardi (Globe Arborvitae) 2 yr. tr., 8-10", cut back last Spring | .35 | .30 |

| | | |
|---|-----|------|
| x - | | |
| - VIBURNUM CARLESI | | x |
| x 2,000 - 2 yr. sdlgs., 4-6" | .15 | .12½ |
| - 2,000 - 2 yr. sdlgs., 6-8" | .20 | .17½ |
| x 2,000 - 2 yr. sdlgs., 8-12" | .30 | .25 |
| - (*) 1,000 - 3 yr. tr., 12-18" | .75 | .60 |
| x (*) branched strong, suitable for mail order trade | | - |
| - x - | | |
| 25 Viburnum fragrans, 2 yr. grafts, 18-24" | .75 | |
| 200 " wrighti, 2 yr. grafts, 10-18" | .75 | |
| 500 " " , 2 yr. sdlgs., 12-18" | .20 | .15 |

[Faint, mostly illegible text covering the main body of the page]

G. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

Telephone Newport 3405

LINING-OUT STOCK - continued

| | <u>Per 100</u>
<u>(EACH)</u> | <u>Per 1000</u>
<u>(EACH)</u> |
|---|---------------------------------|----------------------------------|
| 500 Weigelia Vaniceki, 1 yr. hardwood, 18-24" | \$.15 | \$ |
| 500 Wisteria Jako, white, 2 yr. grafts | .75 | |
| YEWS, see Taxus | | |

LANDSCAPE MATERIAL

| | | | | |
|-------|--------------|---|------|------|
| 250 | Althea | semi-double white, pink center, 2-2½' light | .25 | |
| 100 | " | Wm. R. Smith, large single white, 2-2½' | .25 | |
| 100 | " | blue, 2-3' light | .25 | |
| 500 | " | Lady Stanley, 2-3' light | .25 | |
| 200 | " | rosea grandiflora, lg. single deep pink, 2-3' light | .25 | |
| 200 | " | single white, pink center, 2-3' light | .25 | |
| 30 | " | Wm. R. Smith, 3-4' heavy | .50 | |
| 75 | Aristolochio | sipho (Dutchman's Pipe) heavy clumps | 2.00 | |
| 200 | Azalea | amoena, 12-15", B&B | 2.00 | |
| 100 | " | " , 15-18", B&B | 2.50 | |
| 500 | " | hinodegiri, 10-12", B&B | 1.25 | 1.00 |
| 200 | " | macronulatum, 15-18", E&B | 2.00 | |
| 250 | " | poukanensis, 12-15", B&B | 1.75 | |
| 250 | " | " , 15-18", B&B | 2.00 | |
| 500 | Cotoneaster | dielsiana, 2-3' light, B.R. | .45 | .40 |
| 2,000 | " | praecox, 3 yr. tr., 15-18", B.R. | .85 | .75 |
| | | B&B | 1.25 | 1.00 |
| 500 | " | wilsoni (Improved divaricata) 2-3' heavy, B. R. | .75 | |
| | | B&B | 1.25 | |
| 100 | Daphne | mezerum album, 18-24", B&B | 2.00 | |
| 200 | Eleagnus | angustifolia, 18-24" | .30 | |

[illegible]

| | | | | |
|-------|---|---------------------------------------|------|------|
| 100 | Fagus sylvatica Riversi (True Rivers Beech) | 3-4', B&B | 5.00 | |
| 200 | Forsythia Arnold Brilliant, | 3-4' light | .35 | |
| 1,000 | " | Lynwood Gold, 18-24" | .30 | .25 |
| 2,000 | " | " " , 2-3' | .40 | .35 |
| 300 | " | " " , 3-4' | .60 | .50 |
| 500 | " | " " , 5-6', B&B, full of flower spurs | 1.50 | 1.25 |
| 200 | " | Spring Glory, 2-3' light | .25 | |

```

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *
*           HELLEBOROUS NIGER                                     *
*           (Christmas Rose)                                     -
*           3 yr. tr. - blooming size                           *
* Suitable to pot up for roadside stand sales -
* $50.00 per 100           -           $450.00 per 1000 *
* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

```

2

November 30, 1955
 C. Hoogendoorn, Nurseryman, Turner Road, Newport, R. I.

~ 5 ~

Telephone Newport 3405

LANDSCAPE MATERIAL - continued

| | Per 100
(EACH) | Per 1000
(EACH) |
|--|-------------------|--------------------|
| 25 <i>Hypericum hidcote</i> , heavy clumps, 18-24", B&B | \$ 1.00 | \$ |
| 40 <i>Ilex helleri</i> , 10-12" | 2.00 | |
| 200 <i>Juniper keteleeri</i> , 2-2½' | 2.00 | |
| 200 " <i>pyramidiiformis</i> (Hilli) 2-2½' | 2.00 | |
| 500 " <i>stricta</i> , 10-12", B&B | .90 | .75 |
| 50 " " , 18-24" | 1.50 | |
| 1,000 <i>Ligustrum ibota regalianum</i> (Regal Privet) 15-18", true
from cuttings | .25 | .20 |
| 1,000 " " " (Regal Privet) 18-24", true
from cuttings | .30 | .25 |
| 100 " <i>vicary</i> , 18-24" | .50 | |
| 100 <i>Pieris japonica</i> , 18-24" | 2.50 | |
| 50 <i>Rhus cotinus atropurpureum</i> , 3-4', B&B | 2.00 | |
| 100 <i>Taxus hicksi</i> , 15-18" | 2.00 | |
| 300 " " , 18-24" | 2.50 | |
| 50 " " , 2-2½' | 3.25 | |
| 300 <i>Thuja pyramidalis</i> , 2-2½', B&B | 1.75 | |
| 30 " <i>Woodwardi</i> (globe) 18-24" | 2.00 | |
| 2 <i>Viburnum Burkwoodi</i> , 4½-5', B&B | 5.00 | |
| 500 " <i>carlesii</i> , 18-24" (not budded) B&B | 1.50 | |
| 12 " " , 2-2½', B&B | 2.50 | |
| 15 " " , 2½-3', B&B | 3.50 | |
| 50 " " , 2½-3', heavy, B&B | 5.00 | |
| 14 " " , 3-4', heavy, B&B | 6.00 | |
| 8 " " , 4½-5', 4' spread, B&B | 7.50 | |
| 200 " <i>Wrightii</i> , 15-18", B&B | 1.50 | |
| 250 " " , 18-24", B&B | 2.00 | |
| 100 <i>Weigelia rosea</i> , 3-4', B.R. | .50 | |
| 200 <i>Wisteria Jako</i> , fragrant white, 3 yr. tr., 3' | 1.25 | |

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

Lining-Out stock can be shipped both inside and outside Beetle Area.

Unable to box or bale landscape size shrubs and B&B stock.

Prices are F.O.B., Newport, R. I. Terms: 2% 10 days, net 30 days.

Packing is extra at cost.

1 to 249 take the 100 rate

-

250 and over take the 1000 rate

November 30, 1917
C. Hoogenboom, N.Y.C.

| | | |
|-------|------------|-----|
| 25 | Hypocistis | 100 |
| 10 | Flex | 100 |
| 200 | Thompson | 100 |
| 200 | " | 100 |
| 200 | " | 100 |
| 20 | " | 100 |
| 1,000 | Agrostis | 100 |
| 1,000 | " | 100 |
| 100 | " | 100 |
| 100 | Panicum | 100 |
| 50 | Stem | 100 |
| 100 | Taxus | 100 |
| 300 | " | 100 |
| 50 | " | 100 |
| 300 | Thymus | 100 |
| 30 | Woodward | 100 |
| 2 | Viburnum | 100 |
| 200 | " | 100 |
| 15 | " | 100 |
| 15 | " | 100 |
| 50 | " | 100 |
| 15 | " | 100 |
| 8 | " | 100 |
| 200 | Wright | 100 |
| 250 | " | 100 |
| 100 | Weigelia | 100 |
| 200 | Wisteria | 100 |

Shipping One stock can be shipped with the following conditions:
Packing is extra at cost.
I to 250 take the 100 rate